


R0664

Colonna guida conica senza testa (ISO 9182-4/DIN 9825)

Conical guide pillar without head (ISO 9182-4/DIN 9825)



Descrizione:

Materiale: 1.7131 ≈60 HRC
Esempio di ordinativo: R0664-04-0001

Description:


Material: 1.7131 ≈60 HRC
Example of purchasing order: R0664-04-0001

Codice Code	D	L	L2	M	L1											
					100	112	125	140	160	180	200	224	250	280	315	355
R0664-04	19	126	38	M6	0001											
R0664-04	19	138	38	M6		0002										
R0664-04	19	151	38	M6			0003									
R0664-04	19	166	38	M6				0004								
R0664-04	19	186	38	M6					0005							
R0664-04	19	206	38	M6						0006						
R0664-04	19	226	38	M6							0007					
R0664-04	20	126	38	M6	0008											
R0664-04	20	138	38	M6		0009										
R0664-04	20	151	38	M6			0010									
R0664-04	20	166	38	M6				0011								
R0664-04	20	186	38	M6					0012							
R0664-04	20	206	38	M6						0013						
R0664-04	20	226	38	M6							0014					
R0664-04	24	123	35	M8	0015											
R0664-04	24	135	35	M8		0016										
R0664-04	24	148	35	M8			0017									
R0664-04	24	163	35	M8				0018								
R0664-04	24	183	35	M8					0019							
R0664-04	24	203	35	M8						0020						
R0664-04	24	223	35	M8							0021					
R0664-04	24	247	35	M8								0022				
R0664-04	24	273	35	M8									0023			
R0664-04	25	123	35	M8	0024											
R0664-04	25	135	35	M8		0025										
R0664-04	25	148	35	M8			0026									
R0664-04	25	163	35	M8				0027								
R0664-04	25	183	35	M8					0028							
R0664-04	25	203	35	M8						0029						
R0664-04	25	223	35	M8							0030					
R0664-04	25	247	35	M8								0031				
R0664-04	25	273	35	M8									0032			
R0664-04	30	145	48	M8		0033										
R0664-04	30	158	48	M8			0034									

R0664

Colonna guida conica senza testa (ISO 9182-4/DIN 9825)

Conical guide pillar without head (ISO 9182-4/DIN 9825)



Descrizione:

Materiale: 1.7131 ≈60 HRC
Esempio di ordinativo: R0664-04-0001

Description:


Material: 1.7131 ≈60 HRC
Example of purchasing order: R0664-04-0001

Codice Code	D	L	L2	M	L1											
					100	112	125	140	160	180	200	224	250	280	315	355
R0664-04	30	173	48	M8				0035								
R0664-04	30	193	48	M8					0036							
R0664-04	30	213	48	M8						0037						
R0664-04	30	233	48	M8							0038					
R0664-04	30	257	48	M8								0039				
R0664-04	30	283	48	M8									0040			
R0664-04	30	313	48	M8										0041		
R0664-04	32	145	48	M8		0042										
R0664-04	32	158	48	M8			0043									
R0664-04	32	173	48	M8				0044								
R0664-04	32	193	48	M8					0045							
R0664-04	32	213	48	M8						0046						
R0664-04	32	233	48	M8							0047					
R0664-04	32	257	48	M8								0048				
R0664-04	32	283	48	M8									0049			
R0664-04	32	313	48	M8										0050		
R0664-04	38	158	48	M8			0051									
R0664-04	38	173	48	M8				0052								
R0664-04	38	193	48	M8					0053							
R0664-04	38	213	48	M8						0054						
R0664-04	38	233	48	M8							0055					
R0664-04	38	257	48	M8								0056				
R0664-04	38	283	48	M8									0057			
R0664-04	38	313	48	M8										0058		
R0664-04	38	348	48	M8											0059	
R0664-04	40	158	48	M8			0060									
R0664-04	40	173	48	M8				0061								
R0664-04	40	193	48	M8					0062							
R0664-04	40	213	48	M8						0063						
R0664-04	40	233	48	M8							0064					
R0664-04	40	257	48	M8								0065				
R0664-04	40	283	48	M8									0066			
R0664-04	40	313	48	M8										0067		
R0664-04	40	348	48	M8											0068	

R0664

Colonna guida conica senza testa (ISO 9182-4/DIN 9825)

Conical guide pillar without head (ISO 9182-4/DIN 9825)



Descrizione:

Materiale: 1.7131 ≈60 HRC
Esempio di ordinativo: R0664-04-0001

Description:

Material: 1.7131 ≈60 HRC
Example of purchasing order: R0664-04-0001

Codice Code	D	L	L2	M	L1											
					100	112	125	140	160	180	200	224	250	280	315	355
R0664-04	48	180	58	M10				0069								
R0664-04	48	200	58	M10					0070							
R0664-04	48	220	58	M10						0071						
R0664-04	48	240	58	M10							0072					
R0664-04	48	264	58	M10								0073				
R0664-04	48	290	58	M10									0074			
R0664-04	48	320	58	M10										0075		
R0664-04	48	355	58	M10											0076	
R0664-04	48	395	58	M10												0077
R0664-04	50	180	58	M10				0078								
R0664-04	50	200	58	M10					0079							
R0664-04	50	220	58	M10						0080						
R0664-04	50	240	58	M10							0081					
R0664-04	50	264	58	M10								0082				
R0664-04	50	290	58	M10									0083			
R0664-04	50	320	58	M10										0084		
R0664-04	50	355	58	M10											0085	
R0664-04	50	395	58	M10												0086
R0664-04	60	211	69	M12					0087							
R0664-04	60	231	69	M12						0088						
R0664-04	60	251	69	M12							0089					
R0664-04	60	275	69	M12								0090				
R0664-04	60	301	69	M12									0091			
R0664-04	60	331	69	M12										0092		
R0664-04	60	366	69	M12											0093	
R0664-04	60	406	69	M12												0094
R0664-04	63	211	69	M12					0095							
R0664-04	63	231	69	M12						0096						
R0664-04	63	251	69	M12							0097					
R0664-04	63	275	69	M12								0098				
R0664-04	63	301	69	M12									0099			
R0664-04	63	331	69	M12										0100		
R0664-04	63	366	69	M12											0101	
R0664-04	63	406	69	M12												0102